



 **HIGHFIELD** 2024

#DARETOEXPLORE



ULTRALITE



THE Ultralite Range are single deck dinghies, created always keeping weight in mind. Their light weight make them a real alternative for those who may have chosen a soft bottom tender in the past but would prefer a hard hull for its performance. Ultralite tenders are roomy and strong, yet light and easy to transport.

These little boats can be launched and recovered by a single man and are easy to be transported on a roof rack. The Ultralite's are made of 2.5mm thick powder coated marine grade aluminium for the hull and 1100 Dtex fabric for the inflatable tube.

BECAUSE WEIGHT DOES MATTER

2024 COLOUR SCHEMES



B-G



DG-G




LG-W



W-W

ULTRALITE RANGE



| | VL220 | | VL240 | | VL260 | | VL290 | | VL310 | | VL340 | |
|-------------------------------|-------|--------|-------|--------|-------|--------|-------|--------|-------|---------|-------|---------|
| OVERALL LENGTH | 220cm | 7'3" | 240cm | 7'10" | 260cm | 8'6" | 290cm | 9'6" | 313cm | 10'3" | 337cm | 11'1" |
| INTERNAL LENGTH | 145cm | 4'9" | 164cm | 5'4" | 184cm | 6' | 214cm | 7' | 224cm | 7'4" | 243cm | 8' |
| OVERALL WIDTH | 152cm | 5' | 154cm | 5'1" | 154cm | 5'1" | 154cm | 5'1" | 172cm | 5'8" | 172cm | 5'8" |
| INTERNAL WIDTH | 75cm | 2'6" | 78cm | 2'7" | 77cm | 2'6" | 77cm | 2'6" | 79cm | 2'7" | 79cm | 2'7" |
| DEADRISE | 10.5° | | 10.5° | | 10.5° | | 15° | | 15° | | 15° | |
| TUBE DIAMETER * | 38cm | 15" | 38cm | 15" | 38cm | 15" | 38cm | 15" | 44cm | 17" | 44cm | 17" |
| NUMBER OF AIR CHAMBERS | 3 | | 3 | | 3 | | 3 | | 3 | | 3 | |
| MAXIMUM LOAD | 296kg | 653lbs | 296kg | 653lbs | 340kg | 750lbs | 375kg | 827lbs | 585kg | 1290lbs | 663kg | 1462lbs |
| MAXIMUM PEOPLE | 3 | | 3 | | 3+1 | | 4 | | 5 | | 5+1 | |
| BOAT WEIGHT ** | 30kg | 65lbs | 33kg | 72lbs | 35kg | 77lbs | 39kg | 86lbs | 50kg | 110lbs | 53kg | 117lbs |
| MAXIMUM POWER | 5hp | | 6hp | | 6hp | | 10hp | | 15hp | | 20hp | |
| ENGINE SHAFT | S | | S | | S | | S | | S | | S | |
| DESIGN CATEGORY | C | | C | | C | | C | | C | | C | |

* larger tube diameters available ** boat only

STANDARD FEATURES

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Removable seat
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Light weight rubbing strake
- Full length keel guard
- Under seat bag
- Highfield dry bag
- Foot pump, oars, repair kit
- EVA

OPTIONAL EXTRAS

- Extra seat
- Boat cover

